

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6257

CATALOGUE OF



French-Grown Seedlings

(LEADING VARIETIES ONLY)

FOR SEASON OF 1897-98

HIRAM T. JONES

Union County Nurseries

ELIZABETH



NEW JERSEY



NOTICE TO CUSTOMERS.

Prices subject to change without notice.

THIS LIST comprises the leading varieties only. Upon application, quotations will be given upon any other items that may be needed.

ESPECIAL ATTENTION is given to grading of all stocks offered. Customers may depend upon uniform grading and strong plants.

PRICES herein quoted are for the stock in France. Packing will be done in the most careful manner, and the cost of the same is in addition to the prices named.

TRANSPORTATION is at the purchaser's risk and expense.

TERMS CASH, unless by special agreement.

SHIPMENTS can be made from France by December 1, and my experience leads me to strongly urge December shipments as being apt to give better satisfaction than if delayed until Spring.

OCEAN INSURANCE effected in every case, unless otherwise instructed.

Correspondence solicited.

FRUIT TREE STOCKS.

| | | (25 mm. to the inch.) | Per 1,000 | per 1,000 |
|------------------|-------------------------------------|-----------------------|-----------|----------------|
| | | | | lots of 10,000 |
| PEAR. | I-year, branched roots, 7 to 12 mm. | | \$6 00 | \$5 50 |
| " | I " " " 5 to 7 " | | 2 75 | 2 50 |
| " | I " " " 3 to 5 " | | 1 00 | 85 |
| APPLE. | I-year " " 7 to 12 " | | 7 00 | 6 00 |
| " | I " " " 5 to 12 " | | 3 50 | 3 25 |
| " | I " " " 3 to 5 " | | 1 00 | 75 |
| " | Paradise " " 5 to 10 " | | 6 50 | |
| CHERRY, Mahaleb. | I-year " " 6 to 10 " | | 2 50 | 2 25 |
| " | " " I " " 5 to 8 " | | 2 00 | 1 75 |
| " | " " I " " 4 to 7 " | | 1 75 | 1 50 |
| " | " " I " " 3 to 5 " | | 1 00 | 75 |
| " | Mazzard. I " " 6 to 10 " | | 3 50 | 3 00 |
| " | " " I " " 5 to 9 " | | 3 00 | 2 50 |
| " | " " I " " 3 to 5 " | | 1 25 | 1 00 |
| PLUM, Myrobalan. | I-year " " 6 to 10 " | | 3 00 | 2 50 |
| " | " " I " " 5 to 8 " | | 2 25 | 2 00 |
| " | " " I " " 4 to 7 " | | 2 00 | 1 75 |
| " | " " I " " 3 to 5 " | | 1 50 | 1 25 |
| QUINCE, Angers. | Rooted cuttings, 7 to 12 mm. | | 5 00 | 4 50 |
| " | " " Rooted cuttings, 5 to 7 " | | 3 00 | 2 50 |
| " | " " Rooted cuttings, 3 to 5 " | | 2 00 | 1 50 |

Prices upon larger quantities furnished upon application.

EVERGREENS.

(All have been transplanted.)

| | | Per 100 | 1,000 | | | Per 100 | 1,000 |
|----------------------------------|--------------------|---------|--------|------------------------------|--------|---------|--------|
| Abies alba. | 2 yrs. | \$0 50 | \$4 00 | Larix Europæa. | 2 yrs. | \$0 30 | \$2 50 |
| " Balsamea. | 2 yrs. | 60 | 4 50 | Pinus Austriaca nigra. | 2 yrs. | 35 | 2 50 |
| " Canadensis. | 2 yrs. | 60 | 5 00 | " Cembra. | 2 yrs. | 75 | 6 00 |
| " Douglassi. | 2 yrs. | 60 | 5 00 | " excelsa. | 3 yrs. | 60 | 5 00 |
| " excelsa (Norway Spruce) | 6 to 9 in. | 40 | 3 00 | " mughus (Dwarf). | 3 yrs. | 50 | 4 00 |
| | 8 to 12 in. | 50 | 4 00 | " strobus (white). | 2 yrs. | 40 | 3 00 |
| | 12 to 15 in. | 60 | 5 00 | " sylvestris (Scotch). | 2 yrs. | 30 | 2 00 |
| " excelsa Remonti. | 2 years. | 6 00 | | Retinospora plumosa. | 2 yrs. | 1 50 | |
| " Nordmanniana. | 2 yrs. | 1 75 | 15 00 | " " aurea. | 2 yrs. | 3 00 | |
| " pungens (Colorado Blue Spruce) | seedlings, 4 years | 1 50 | 10 00 | Thuja occidentalis. | 4 yrs. | 75 | 6 00 |
| Juniperus Hibernica. | 2 yrs. | 2 50 | | Thuja occidentalis argentea. | 2 yrs. | 3 00 | |
| " Japonica. | 2 yrs. | 3 25 | | " " compacta. | 2 00 | | |
| " Sabina. | 2 yrs. | 4 00 | | " " pyramidalis. | 2 50 | | |
| " Virginiana. | 2 yrs. | 50 | 4 00 | " " Wareana. | 3 00 | | |
| | | | | " " lutea. | 3 00 | | |

DECIDUOUS TREES AND SHRUBS.

| | Per 100 | 1,000 | | Per 100 | 1,000 |
|--|---------|--------|--|---------|--------|
| <i>Acer platanoides</i> . 8 to 15 in., 1 yr. | \$0 20 | \$1 50 | <i>Clematis viticella</i> . 3 yrs. ... | \$0 90 | \$7 50 |
| <i>Acer platanoides</i> . 12 to 20 in., 1 yr. | 25 | 1 85 | “ <i>graveolens</i> 1 00 | | |
| <i>Acer platanoides</i> . 20 to 30 in., 2 yrs. | 35 | 2 50 | “ <i>Jackmanni</i> . 2 yrs. ... 12 00 | | |
| <i>Acer platanoides</i> . 30 to 40 in., 2 yrs. | 45 | 3 50 | “ Other named sorts. 2 yrs. | 11 00 | |
| <i>Acer platanoides</i> Schwed- lerii. 3 ft. | 7 00 | | <i>Clethra alnifolia</i> . 3 yrs. ... | 75 | 6 00 |
| <i>Acer pseudo-platanus</i> . 1 yr. ... | 20 | 1 50 | <i>Cornus mas</i> var. | 6 00 | |
| “ “ “ 2 yrs. ... | 30 | 2 50 | “ <i>elegantissima</i> 12 00 | | |
| “ <i>saccharinum</i> . 1 yr. ... | 70 | 6 00 | “ <i>Spathii aurea</i> 12 00 | | |
| <i>Æsculus hippocastanum</i> . 1 yr. | 25 | 2 00 | <i>Corylus avellana</i> . 2 yrs. ... | 35 | 2 50 |
| “ <i>rubicunda</i> . 1 yr. ... | 85 | 7 50 | “ <i>laciniata</i> . Layers ... | 1 35 | 12 00 |
| <i>Akebia quinata</i> . 2 yrs. | 75 | | “ <i>purpurea</i> 1 75 | 14 00 | |
| <i>Alnus imperialis laciniata</i> . Layers | 1 25 | | <i>Cotoneaster</i> . Assorted | 1 00 | |
| <i>Althæa frutex</i> . 1 yr. | 20 | 1 50 | <i>Cratægus oxyacantha</i> . 2 yrs. ... | 35 | 2 50 |
| “ Double Assorted. 10 to 20 in. | 1 50 | 14 00 | <i>Cydonia Japonica</i> . 2 yrs. ... | 60 | 5 00 |
| “ <i>variegata</i> 1 60 | 15 00 | | <i>Cytissus laburnum</i> . 2 yrs. ... | 40 | 3 00 |
| <i>Ampelopsis quinquefolia</i> . 2 yrs. | 35 | 3 00 | <i>Deutzia crenata</i> , <i>gracilis</i> , <i>scabra</i> (Pride of Roches- ter). 2 yrs. | 60 | 5 00 |
| “ <i>Veitchii</i> . 4 to 8 in. ... | 50 | 4 00 | <i>Elæagnus edulis</i> . 2 yrs. ... | 1 75 | 15 00 |
| “ “ 8 to 16 in. ... | 75 | 6 00 | <i>Euonymus Europæa</i> . 2 yrs. ... | 50 | 4 00 |
| <i>Aristolochia siphon</i> . Layers. 5 50 | | | “ <i>radicans</i> var. 2 yrs. | 60 | 5 00 |
| <i>Azalea mollis</i> . 3 yrs. | 3 00 | 25 00 | <i>Fagus sylvatica</i> . 2 yrs. | 50 | 3 50 |
| <i>Berberis Thunbergii</i> . 2 yrs. ... | 1 35 | 12 50 | “ <i>laciniata</i> . Grafts ... | 10 00 | |
| “ <i>vulgaris</i> . 2 yrs. ... | 35 | 2 50 | “ <i>purpurea</i> . 18 to 30 in. grafts 15 00 | | |
| “ <i>purpurea</i> . 2 yrs. ... | 45 | 3 25 | <i>Forsythia viridissima</i> . 2 yrs. ... | 60 | 5 00 |
| <i>Betula alba</i> . <i>Transp.</i> , 2 yrs. ... | 25 | 2 00 | <i>Fraxinus excelsior</i> . 2 yrs. ... | 25 | 2 00 |
| “ “ “ 3 yrs. ... | 45 | 3 50 | <i>Ginkgo biloba</i> . 1 yr. | 60 | 5 00 |
| “ <i>purpurea</i> . 2 to 3 ft. ... | 10 00 | | <i>Hydrangea paniculata grand- iflora</i> . 2 yrs., 4 to 8 in. ... | 1 25 | 10 00 |
| <i>Bignonia grandiflora</i> . 2 yrs. ... | 3 00 | | <i>Hydrangea paniculata grand- iflora</i> . 3 yrs., 8 to 12 in. ... | 1 75 | 15 00 |
| “ <i>radicans</i> . 2 yrs. ... | 75 | 6 00 | <i>Hypericum Moserianum</i> . 2 yrs. | 1 75 | |
| <i>Calycanthus floridus</i> . 1 yr. ... | 75 | 6 00 | <i>Hypericum Moserianum tri- color</i> 35 00 | | |
| “ “ 2 yrs. ... | 90 | 7 00 | <i>Juglans Americana nigra</i> . 1 yr. | 50 | 4 00 |
| <i>Caryopteris mastacantha</i> . 1 yr. | 1 50 | 12 50 | “ <i>cinerea</i> . 1 yr. ... | 1 75 | |
| <i>Carya alba</i> (Hickory). 1 yr. ... | 1 50 | | “ <i>regia</i> . 1 yr. | 60 | 5 00 |
| <i>Castanea vesca</i> . 1 yr. | 25 | 1 75 | <i>Kalmia latifolia</i> . Small ... | 3 50 | |
| <i>Catalpa speciosa</i> . 1 yr. | 60 | 5 00 | “ “ Bushy ... | 5 00 | |
| “ <i>Bungii</i> . Grafted. ... | 20 00 | | <i>Ligustrum Ibo</i> ta 70 | 6 00 | |
| <i>Cercis Siliquastrum</i> . 2 yrs. ... | 60 | 5 00 | “ <i>ovalifolium</i> . 6 to 10 in. | 40 | 3 00 |
| <i>Chionanthus Virginica</i> Grafts 4 50 | | | “ <i>ovalifolium</i> . 10 to 20 in. | 50 | 4 50 |
| <i>Clematis flammula</i> . 2 yrs. ... | 50 | 4 50 | <i>Liriodendron tulipifera</i> . 1 yr. ... | 90 | 8 00 |
| “ <i>vitalba</i> . 2 yrs. ... | 40 | 3 00 | “ “ 2 yrs. ... | 1 40 | 12 00 |
| “ <i>viticella</i> . 2 yrs. ... | 50 | 5 00 | | | |

DECIDUOUS TREES AND SHRUBS, continued.

| | Per 100 | 1,000 | | Per 100 | 1,000 |
|---------------------------------------|---------|--------|-------------------------------------|---------|--------|
| <i>Lonicera aurea reticulata</i> . 2 | | | <i>Rosa multiflora</i> . 5 to 8 mm. | \$0 50 | \$4 00 |
| yrs. | \$0 80 | \$7 00 | " <i>rugosa</i> | 1 00 | 7 00 |
| " <i>coccinea</i> | 1 75 | | <i>Sambucus laciniata</i> . 2 yrs. | 75 | |
| " <i>Sinensis</i> | 1 25 | 10 00 | " <i>nigra fol. luteus</i> . | | |
| " <i>Belgica</i> | 1 00 | 8 00 | 2 yrs. | 1 75 | |
| " <i>Tatarica</i> . Red and | | | <i>Spiræa prunifolia</i> . 2 yrs. . | 75 | 6 00 |
| White | 1 00 | | " <i>Bumalda</i> | 85 | 7 00 |
| <i>Magnolia acuminata</i> . 1 yr. | 4 00 | 30 00 | " <i>Thunbergii</i> | 75 | 6 00 |
| <i>Morus alba</i> . 1 yr. | 20 | 1 50 | " <i>Van Houttei</i> | 75 | 6 00 |
| <i>Pæonia arborea Moutan</i> | 10 00 | | " <i>Antony Waterer</i> ... | 3 00 | |
| " <i>Sinensis</i> . Named. . | 7 00 | | <i>Syringa alba</i> | 1 25 | 10 00 |
| <i>Philadelphus coronarius</i> . 2 | | | " <i>Persica</i> | 2 00 | |
| yrs. | 80 | 7 00 | " <i>rubra Persica</i> | 2 00 | |
| <i>Philadelphus coronarius fol.</i> | | | " <i>alba laciniata</i> | 2 00 | |
| <i>aureus</i> . 2 yrs. | 1 00 | 8 00 | " <i>vulgaris</i> . 1 yr. | 20 | 1 50 |
| <i>Populus Bolleana</i> . 2 yrs. . | 2 00 | | " <i>"</i> 2 yrs. | 50 | 4 00 |
| <i>Quercus palustris</i> . 1 yr. | 35 | 3 00 | <i>Tilia Europæa</i> . 1 yr. | 25 | 3 00 |
| " <i>cercis</i> . 1 yr. | 35 | 3 00 | " <i>"</i> 2 yrs. | 50 | 4 00 |
| " <i>robur</i> . 1 yr. | 25 | 2 00 | " <i>platyphylla</i> . 1 yr. ... | 50 | 4 00 |
| <i>Rhododendron ponticum</i> . 16 | | | " <i>"</i> 2 yrs. | 75 | 6 00 |
| to 20 in. | 15 00 | | " <i>argentea</i> . Grafted. 2 | | |
| " <i>ponticum</i> . 20 | | | yrs. | 3 00 | |
| to 30 in. | 20 00 | | <i>Sorbus aucuparia</i> . 1 yr. . | 50 | 3 50 |
| " Grafted. 16 to | | | " <i>"</i> 2 yrs. . | 75 | 5 00 |
| 20 in. | 28 00 | | <i>Ulmus latifolia</i> . 1 yr. . | 25 | 2 00 |
| " Grafted. 20 to | | | " <i>"</i> 2 yrs. | 30 | 2 25 |
| 30 in. | 35 00 | | <i>Viburnum op. fl. pl.</i> 2 yrs. | 1 25 | 10 00 |
| " <i>Catawbiense</i> . | | | " <i>plicatum</i> . 2 yrs. | 4 50 | 40 00 |
| 18 to 24 in. . | 23 00 | | <i>Weigela rosea</i> . 2 yrs. | 1 50 | 12 50 |
| 24 to 30 in. . | 30 00 | | " <i>nana var.</i> 2 yrs. . | 1 75 | 16 00 |
| <i>Rhus cotinus</i> . 1 yr. | 50 | 4 00 | " 10 other sorts | 2 00 | 17 50 |
| " <i>"</i> 2 yrs. | 65 | 5 50 | <i>Wistaria Sinensis</i> . Layers . | 3 50 | |
| " <i>glabra laciniata</i> | 2 50 | | " <i>alba</i> . Layers. 2 yrs. | 6 00 | |
| <i>Ribes aureum</i> | 75 | | " <i>frutescens</i> | 3 50 | |
| <i>Rosa arvensis</i> . 5 to 8 mm. . | 50 | 4 00 | | | |
| " <i>Manetti</i> . 5 to 8 " . | 50 | 4 00 | | | |

RAFFIA. (Best Quality.)

Bale lots, 220 lbs., 8 cts. per lb.; 100 lbs., 10 cts. per lb.; 10 lbs., 12 cts. per lb.; less quantities, 15 cts. per lb. F. O. B. here.

